

TECAWORK®



**ANY WORK,
ANYWHERE**

TECAWORK®
MK 9014 – 275/290 g/m²

EXCEPTIONAL CHEMICAL REPELLENCY PROPERTIES

The combination of a high-quality polyester fiber blend, a dense plain construction and our Hydro-Tec chemical repellent finish, makes MK 9014 an outstanding fabric for repelling chemicals, and oil.

EXTREMELY DURABLE

100% polyester fibres increase durability to wash and wear, providing long-lasting looks and a minimized cost of ownership.

ANTI-STATIC PROPERTIES

Protects against explosion risks.

TECAWORK®

TECHNICAL DATA	TECAWORK®	TEST METHOD
Quality	MK 9014 - Chemical repellent	
Width	153 cm (+2/-1 cm)	ISO 22198: 2006
Weight	White: 275 g/m ² (± 5%) Colour: 290 g/m ² (± 5%)	ISO 3801: 1977
Composition	99/1% polyester/Static-Control™	ISO 1833: 2020
Construction	1/1 plain	ISO 3572: 1976
Available finishes	Hydro-Tec	
Physical performance		
Tensile strength	1500 N x 1500 N (± 10 %)	NEN-EN-ISO 13934-1: 2013
Care labelling		
Domestic laundering		NEN-EN-ISO 6330, 6N 60 °C: 2013
Industrial laundering	75 °C - ISO 15797 White: Colour:	Visit our website for the laundering recommendations www.tencatefabrics.com Qualification label - ISO 30023

CERTIFICATION*		
	Anti-Static for explosion risk	EN 1149-5: 2018, EN 1149-3: 2004
	Liquid chemicals	EN 13034, type 6: 2005
	OEKO-TEX® STANDARD 100, class 2	Centexbel, no. 2405124

COLOURS

Bianco 00001	Grey 65288	Blue 65287
-----------------	---------------	---------------

The colours shown are standard options available with a minimum order of 100 meters. This service program is subject to change. Please scan the QR code or visit our website for the latest overview of standard colours.



For any additional colours or specific colour combination requirements beyond this service, please contact your TenCate Protective Fabrics representative.

Ten Cate Protect B.V. is certified according:



Member of ETSA



Product certification:



All mentioned data must be considered as indicative values. To the best of our knowledge all information contained herein is accurate. TenCate Protective Fabrics Europe declines any form of liability related to the use of the attached specimen that shall be regarded as a sample only and therefore not meant to be used in any form of garment making.